



\*Matthew Nauman

## Blood and Short Tailed Pythons (*Python curtus*), (*Python brongersmai*), (*Python kyaiktiyo*), and (*Python breitensteini*)

---

### **Big Snakes in a Mid-Sized Package**

Blood and short tailed pythons are medium sized, yet VERY heavy bodied species of pythons with a large, wedge shaped head. Background color can vary, but is usually red to reddish brown or brown with yellowish or cream colored blotches or often a broken dorsal stripe. Large, lighter colored irregular “alien head” shaped blotches characterize the sides. Three species, all with similar care requirements. **Borneo Short tailed Python (*Python breitensteini*)**, **Sumatran Black Blood Python (*Python curtus*)**, **Myanmar Short tailed Python (*Python kyaiktiyo*)**, and **Red Blood Python (*Python brongersmai*)**. Blood and short tailed pythons are sedentary ambush predators, laying motionless for up to several days or even weeks in leaf litter and other ground debris until prey passes along. The blood and short tailed pythons are quickly becoming increasingly popular species, and their negative reputations as nasty and difficult to care for species are rapidly diminishing as more captive breeding of these species is taking place. For anyone seeking a large snake personality in a medium sized python, the blood and short tailed pythons are an excellent choice!

### **Taxonomy**

**Life:** All living, physical, and animate entities

**Domain:** Eukaryota

**Kingdom:** Animalia

**Phylum/Sub Phylum:** Chordata/Vertebrata

**Class:** Reptilia

**Order:** Squamata

**Suborder:** Serpentes

**Infraorder:** Alethinophidia

**Family:** Pythonidae

**Genus:** Python

**Species:** *Python curtus*\*, *Python breitensteini*\*, *Python kyaiktiyo*\*, and *Python brongersmai*\*

\*Taxonomy subject to change and revision.

### **Lifespan and Longevity**

If provided the proper care, blood and short tailed pythons can attain longevity of 20 to 25 years or more. Up to 35 to 40 years is also not unheard of.

<http://www.madisonherps.org>

### **Distribution and Habitat**

These pythons occur in southern to South East Asia, specifically the Malayan Peninsula including Malaysia, Myanmar, Sumatra, and Thailand. Blood and short tailed pythons occur in wet to semi wet tropical rainforests, savannahs, and woodlands within this range.

### **Conservation Status**

IUCN Red List Least Concern (LC). *P. kyaiiktiyo* is IUCN Red List Vulnerable (VU).

### **Experience Level Required**

Intermediate/Moderate.

### **Size**

Blood and short tailed pythons range from 8 to 12 inches as hatchlings, and typically 4 to 7 feet, or 48 to 84 inches as most adults depending on the species.

### **Housing and Enclosure**

Housing must be sealed, well ventilated, and escape proof. Hatchling blood and short tailed pythons can be started out in a 15 to 20 gallon long terrarium or similar sized enclosure, but will soon require larger accommodations. If glass enclosures are used at any point, be sure that the enclosure retains sufficient humidity. Many of the commercially made plastic or fiberglass enclosures, or otherwise custom-designed enclosures that can retain heat and humidity well are perhaps the best and most practical enclosures to use to house mid to large sized boas and pythons. Depending on the age and size of the animal, a four to six foot by two foot enclosure or larger is required. Blood and short tailed pythons can be maintained on a substrate of cage liner material, cypress mulch, or sphagnum fir mixtures, but always ensure that the substrate does not become too damp or moist. Do not use pine or cedar shavings, as these substrates are toxic to snakes. Blood and short tailed pythons will also require a large sturdy water dish or tub that must be cleaned, sanitized, and changed regularly, especially if dirtied. Providing an adequately sized hidebox, artificial foliage, driftwood, rocks, logs, and other cage furnishings can also provide additional hiding and basking opportunities. Blood and short tailed pythons are primarily terrestrial, and floor space is more important than height.

### **Temperature, Lighting, and Humidity**

Create a thermal gradient (or a warm side) in the cage/enclosure with an appropriate sized UTH (or tank heating pad), ceramic or radiant heat emitter, or incandescent, UVA/UVB, or other heat producing bulb. Ideal temperatures for blood and short tailed pythons range from 75 to 80 degrees F on the cool side and 85 to 92 degrees F on the warm side. Most species of snakes have fairly simple and undemanding heating and lighting requirements in captivity, and do not require additional UVA/UVB lighting, although providing it can be greatly beneficial for their health, immune system, and overall wellness. Also be sure to spot clean the enclosure for urates, feces, or uneaten food at least once per week. Be sure to periodically replace the substrate, clean, and disinfect the enclosure and its furnishings at minimum every 2 to 3 months. More specific lighting, heating, and humidity product suggestions and recommendations that can best suit one's needs, as well as those of one's animals can be given as well.

### **Feeding, Diet, and Nutrition**

***Carnivorous***; In the wild, blood and short tailed pythons are carnivorous, and will prey upon a wide range of small mammals, birds, amphibians, and other reptiles that they can ambush, locate, and consume. In captivity, blood and short tailed pythons can be given feeder rabbits or rodents of appropriate size, such as rats or mice. In most general circumstances, it is recommended to provide humanely pre-killed prey animals acquired from a reputable source, as offering live

<http://www.madisonherps.org>

animals to any snake can carry risk of serious injury or even death to your snake when the prey item bites to defend itself or otherwise gnaws on your animal. A general rule of thumb when selecting feeder prey item sizes for your snake is to provide prey items that are approximately the same width as the snake's widest point. It should also be noted that many snakes may refuse food for longer periods of time over several weeks or months, especially in the fall and winter months or if several other husbandry conditions are not being met. While these things can be alarming, it is oftentimes normal, but their overall health and weight should be monitored during these times to make sure they do not lose weight or otherwise deteriorate. Most snakes typically are fed whole prey items, and do not usually require additional calcium or vitamin D3 supplementation unless otherwise directed. Their feeding frequency will also depend on the age, size, and overall health of your animal. Use care as to not overfeed them, as obesity and other health related issues can become an issue. More specific dietary and supplementary product suggestions and recommendations that can best suit one's needs, as well as those of one's animals can be given as well.

### **Handling**

As with many snakes, hatchling and juvenile blood pythons may initially be nervous and defensive. They may hiss and strike to what they perceive to be a threat. These snakes often respond well to gentle and deliberate handling, but do not drop or injure the animal. Blood pythons have held an undeserved reputation for being "nasty" and difficult to keep, but this is based mostly on wild caught and/or imported animals. Captive bred animals that are becoming increasingly well established in the industry can make for very personable and rewarding pythons to keep for the intermediate hobbyist.

**\*\*Also be sure to practice basic cleanliness and hygiene associated with proper husbandry after touching or handling any animals or animal enclosures to prevent the possibility of contracting salmonellosis or any other zoonotic pathogens\*\***

### **Contact**

Authored by Eric Roscoe. For any additional questions, comments, and/or concerns regarding this animal, group of animals, or this care sheet, please email and contact the Madison Area Herpetological Society at [info@madisonherps.org](mailto:info@madisonherps.org)

*Disclaimer: Note that the information provided in these, or any care sheets, are not intended to be all-exhaustive, and further research and care should always be sought and provided when it comes to any species one may prospectively be interested in. These care sheets are also not intended to serve as substitutes for professional veterinary medical care and husbandry should any animal require it. Always seek proper and professional veterinary care for any animal should the need arise, and be prepared ahead of time for any and all husbandry costs and expenses that may occur with any animal beyond the initial purchase. Any animal owned is ultimately a matter of personal/individual care and responsibility. MAHS cannot make any claims or guarantees regarding any information in this care sheet therein. This care sheet may be reprinted or redistributed only in its entirety, including any and all MAHS logos and disclaimers.*

**\*Copyright Madison Area Herpetological Society, 2017**