



## Curly Tailed Lizards (*Leiocephalus* sp.)

---

### **Lizards with Actual Curly Tails**

Curly tailed lizards can be quite variable in color depending on species, but most species have keeled and pointed dorsal scales that resemble fence lizards or swifts. The most distinctive identifying feature of these species are their tendency to hold their tails in an upward, curled fashion. As with many other species of lizards, curly tailed lizards can also drop their tails through caudal autotomy when threatened or handled roughly, which temporarily startles and/or distracts the predator long enough for the lizard to make its escape. A new tail then regrows over several weeks, but tends to be more vestigial than the original. Curly tailed lizards also will display a variety of social structure behaviors to signal territory, dominance, and courtship including arm waving, head bobbing, and/or pushups. The most commonly kept and imported species for the pet trade are the Northern Curly tailed Lizard (*L. carinatus*), Hispanolian Masked or Jeweled Curly tailed Lizard (*L. personatus*), and Red sided Curly tailed Lizard (*L. schreibersii*). These relatively small lizards can make for hardy, inexpensive, and spirited pet reptiles for the beginning enthusiast.

### **Taxonomy**

**Life:** All living, physical, and animate entities

**Domain:** Eukaryota

**Kingdom:** Animalia

**Phylum/Sub Phylum:** Chordata/Vertebrata

**Class:** Reptilia

**Order:** Squamata

**Suborder:** Lacertilia

**Infraorder:** Iguania

**Family:** Leiocephalidae

**Genus:** *Leiocephalus*

**Species:** *Leiocephalus* sp.\*

\*Taxonomy subject to change and revision.

### **Lifespan and Longevity**

If provided the proper care, curly tailed lizards can attain longevity of at least 5 to 8 years or more.

### **Distribution and Habitat**

Curly tailed lizards consist of a genus of approximately 30 species endemic to the Caribbean, including the Bahama Islands, Cayman Islands, Cuba, and Honduras. They are also frequently introduced into some southern areas of the United States such as Florida as well. Curly tailed

<http://www.madisonherps.org>

lizards are active, primarily diurnal and terrestrial lizards that will seek refuge in rocky crevices, tree bark, and other forms of shelter, cover, or debris.

### **Conservation Status**

Conservation status is dependent upon the species. Some are IUCN Red List Least Concern (LC), Vulnerable (VU), Near Threatened (NT), Endangered (EN), Critically Endangered (CE), or Not Evaluated for the IUCN Red List (NE) or otherwise Data Deficient (DD).

### **Experience Level Required**

Novice/Beginner.

### **Size**

Curly tailed lizards are somewhat small lizards that typically reach 4 to 10 inches as adults, although they can become slightly larger.

### **Housing and Enclosure**

Housing must be sealed and escape proof. These lizards are active, diurnal lizards that require a minimum of a 20 to 30 gallon terrarium or enclosure. Multiple animals that are housed together must have accordingly larger accommodations, although males especially, are territorial. Curly tailed lizards should be maintained on substrates that retain moderate humidity, such as cypress mulch, sphagnum moss, and/or orchid bark or play sand mixture substrates. For water, moderate humidity levels should be kept up. Mist hatchlings and juveniles at least twice per day and adults at least 2 to 3 times weekly as well as their food. Maintain at about 60% humidity. A small, shallow water bowl can also be provided. These lizards will also climb, but are not overly arboreal. Provide artificial foliage, driftwood, rocks, slabs, or logs for ample basking, climbing, and hiding opportunities.

### **Temperature, Lighting, and Humidity**

Curly tailed lizards will also bask, and thus a thermal gradient (or a warm side) in the cage/enclosure with an appropriate sized under tank heating pad, ceramic, or radiant heat emitter should be provided. Being from relatively cooler cloud forests, ideal temperatures for these lizards range from 75 to 80 degrees F as an ambient temperature and around 90 to 95 degrees F on the warm, basking side. Providing the correct amounts of UVA/UVB overhead incandescent and florescent lighting, and calcium-to-phosphorus ratios is essential for ensuring the health and overall well-being of curly tailed lizards in captivity. Without UVA/UVB, or adequate amounts of it, they can be susceptible to the abnormal bone growth and development known as Metabolic Bone Disease (MBD), and other health and development maladies. Also be sure to spot clean the enclosure for urates, feces, or uneaten food at least twice per week. Be sure to periodically replace the substrate, clean, and disinfect the enclosure and its furnishings at minimum every 2 to 3 months. More specific lighting, heating, and humidity product suggestions and recommendations that can best suit one's needs, as well as those of one's animals can be given as well.

### **Feeding, Diet, and Nutrition**

*Primarily Insectivorous*; In the wild, curly tailed lizards are primarily insectivorous, feeding on small insects and other invertebrates. Curly tailed lizards in captivity can be given a variety of feeder insects and other invertebrates of appropriate size, frequency, and proportion at least two to three times weekly. Feeder crickets, mealworms, waxworms, roaches, and other feeder insects, as well as some greens, fruits, and vegetable material such as dandelion greens and some commercially available omnivore and mixed fruit and vegetable diets can also be provided. They can also occasionally be given small pre-killed rodents of appropriate size, but sparingly.

<http://www.madisonherps.org>

Providing calcium and vitamin D3 supplementation, as well as nutritional gutloading any feeder insects in these lizard's diets is essential for their health and well-being. More specific dietary and supplementary product suggestions and recommendations that can best suit one's needs, as well as those of one's animals can be given as well that can best suit one's needs, as well as those of one's animals can be given as well.

### **Handling**

Curly tailed lizards can be handled or restrained for short periods of time, but are typically not an overly suitable hands on species that tolerates frequent and/or prolonged handling. Too much handling will stress these species, and they are better maintained overall as a more hands off animal whenever possible.

\*\*Also be sure to practice basic cleanliness and hygiene associated with proper husbandry after touching or handling any animals or animal enclosures to prevent the possibility of contracting salmonellosis or any other zoonotic pathogens\*\*

### **Contact**

Authored by Eric Roscoe. For any additional questions, comments, and/or concerns regarding this animal, group of animals, or this care sheet, please email and contact the Madison Area Herpetological Society at [info@madisonherps.org](mailto:info@madisonherps.org)

*Disclaimer: Note that the information provided in these, or any care sheets, are not intended to be all-exhaustive, and further research and care should always be sought and provided when it comes to any species one may prospectively be interested in. These care sheets are also not intended to serve as substitutes for professional veterinary medical care and husbandry should any animal require it. Always seek proper and professional veterinary care for any animal should the need arise, and be prepared ahead of time for any and all husbandry costs and expenses that may occur with any animal beyond the initial purchase. Any animal owned is ultimately a matter of personal/individual care and responsibility. MAHS cannot make any claims or guarantees regarding any information in this care sheet therein. This care sheet may be reprinted or redistributed only in its entirety, including any and all MAHS logos and disclaimers.*

\*Copyright Madison Area Herpetological Society, 2017