



\*Abbie Watson

## Greenbottle Blue Tarantula (*Chromatophora cyaneopubescens*)

---

### Popular Orange and Turquoise Beauties

Greenbottle blue tarantulas are a medium sized to large, vibrantly colored terrestrial species of tarantula indigenous to northern portions of Venezuela in northern South America. These New World species can most readily be identified by their metallic blue to bluish green limbs and thorax, and vibrantly colored orange abdomens. As with many tarantulas, this species can use its hind limbs to flick its loosely lodged hairs on its abdomen and limbs to serve as an irritant to many predators, and are known as urticating hairs. A relatively hardy and easily kept species, the greenbottle blue can tolerate a wide range of temperature and humidity ranges than most other South American spiders, and can make for great, sought after additions to any arachnid or invertebrate collection.

### Taxonomy

**Life:** All living, physical, and animate entities

**Domain:** Eukaryota

**Kingdom:** Animalia

**Phylum:** Arthropoda

**Subphylum:** Chelicerata

**Class:** Arachnida

**Order:** Araneae

**Infraorder:** Mygalomorphae

**Family:** Theraphosidae

**Genus:** Chromatopelma

**Species:** *Chromatopelma cyaneopubescens*\*

\*Taxonomy subject to change and revision.

### Lifespan and Longevity

Males of many tarantula species will often attain life spans of only 5 to 6 years. Females attain considerably longer life spans of 15 to 20 years or more in captivity.

### Distribution and Habitat

The greenbottle blue tarantula is a relatively medium sized, terrestrial New World species of tarantula indigenous to portions of northern South America. More specifically, this bold and multi-colored and attractive species is indigenous primarily to the Paraguana Peninsula of

<http://www.madisonherps.org>

northern Venezuela. Within this range, these tarantulas may be found in semi-arid deserts, to grasslands, and scrublands, where they occupy self-excavated burrows, burrows constructed by other animals, and underneath vegetation, rocks, logs, and other ground debris.

### **Conservation Status**

Not Evaluated for the IUCN Red List (NE) or otherwise Data Deficient (DD).

### **Legal and Regulatory Status (\*Subject to Change)**

Consult with your local, municipal, and state ordinances and regulations for any ownership restrictions.

### **Experience Level Required**

Intermediate/Moderate.

### **Size**

Greenbottle blue tarantulas are medium-sized to large tarantulas reaching a total legspan of about 4 to 5 ½ inches on average.

### **Housing and Enclosure**

Provide a sturdy, secure, and escape proof terrarium or enclosure 5 to 10 gallons long in size with a secure top for a single adult spider. Several of the acrylic displays and enclosures that are now manufactured for housing arachnids, insects, and other invertebrates can also be used. Spiderlings can be housed in an appropriately sized spiderling vial, plastic container or deli cup with adequate holes for ventilation. Acceptable substrate to use can include pesticide free potting soil, coconut fiber, vermiculite, or similar substrates 3 to 4 inches in depth. Decorations and/or other cage furnishings can also be included as well, although floor space is more important than height. This is a primarily terrestrial to burrowing species, but benefits from branches, horizontal cork bark, and plants for refuge. A fairly small, shallow water dish can also be provided, and should be cleaned regularly as well as regular misting for hydration.

### **Temperature, Lighting, and Humidity**

Most species of tarantulas have simple and undemanding heating and lighting requirements in captivity, and do not require additional UVA/UVB lighting, although providing it can be greatly beneficial for your tarantula's health, immune system, and overall wellness. Greenbottle blues are a hardy South American species that can be maintained at lower humidity levels than most other South American spiders at around 65 to 75%. This species can be maintained at temperatures 70 to 85 degrees. For any supplemental heating that may be needed, use a low wattage incandescent or UVA/UVB bulb, radiant or ceramic heat emitter, or UTH (under tank heating element). More specific lighting, heating, and humidity product suggestions and recommendations that can best suit one's needs, as well as those of one's animals can be given as well.

### **Feeding, Diet, and Nutrition**

***Insectivorous to Carnivorous;*** In the wild, greenbottle blue tarantulas are primarily insectivorous, meaning they eat insects and other invertebrates. They will also occasionally eat smaller vertebrates as well if they can catch and subdue them. In captivity, these tarantulas can be fed a variety of appropriately sized feeder insects such as crickets, roaches, mealworms, superworms, and waxworms. Feeder insects should be gut-loaded in order to increase their

<http://www.madisonherps.org>

optimal nutritional value. This will promote optimal exoskeleton growth and development. Any uneaten food items should be cleaned and removed after a day or two. Their feeding frequency will depend on the age, size, and overall health of your animal. Use care as to not overfeed even invertebrates, as obesity and other health related issues can still become an issue with them. More specific dietary and supplementary product suggestions and recommendations that can best suit one's needs, as well as those of one's animals can be given as well.

### **Handling**

Greenbottle blues are a somewhat skittish and nervous species that does require some previous tarantula husbandry and handling experience. Despite its skittish nature, greenbottle blues usually will not kick urticating hairs, and can be handled with the appropriate experience. Nonetheless, greenbottle blues are a beautiful and attractive species that makes for a fine display tarantula for the intermediate arachnid or other pet enthusiast. Tarantulas in general are fragile animals, and accidentally dropping a spider can result in the rupture of its internal organs and/or exoskeleton, causing death to your tarantula. Although most tarantulas are not medically significant, with most being lesser than or just about equal to a bee sting, medical attention should still be sought from any apparent allergic reaction to a bite, or extreme irritation from urticating hairs from a pet tarantula.

**\*\*Also be sure to practice basic cleanliness and hygiene associated with proper husbandry after touching or handling any animals or animal enclosures to prevent the possibility of contracting salmonellosis or any other zoonotic pathogens\*\***

### **Contact**

Authored by Eric Roscoe. For any additional questions, comments, and/or concerns regarding this animal, group of animals, or this care sheet, please email and contact the Madison Area Herpetological Society at [info@madisonherps.org](mailto:info@madisonherps.org)

*Disclaimer: Note that the information provided in these, or any care sheets, are not intended to be all-exhaustive, and further research and care should always be sought and provided when it comes to any species one may prospectively be interested in. These care sheets are also not intended to serve as substitutes for professional veterinary medical care and husbandry should any animal require it. Always seek proper and professional veterinary care for any animal should the need arise, and be prepared ahead of time for any and all husbandry costs and expenses that may occur with any animal beyond the initial purchase. Any animal owned is ultimately a matter of personal/individual care and responsibility. MAHS cannot make any claims or guarantees regarding any information in this care sheet therein. This care sheet may be reprinted or redistributed only in its entirety, including any and all MAHS logos and disclaimers. Last updated on: 15 December 2018.*

\*Copyright Madison Area Herpetological Society, 2017