



Rubber Boa (*Charina bottae*)

Another North American Native of the Northwest

Rubber boas are only one of two species of boa native to North America and the United States. The other species of North American boa is the Rosy Boa (*Lichanura trivirgata*). They are a small, stout bodied species of boa with extremely broad and blunt heads and tails and relatively small eyes. Their ground color is uniformly colored with smooth, shiny scales, which can range from tan, yellowish, yellowish-orange, light to dark brown, to olive or olive brown, with a paler yellow ventral (or belly) surface. Rubber boas are a secretive, primarily nocturnal boa species that typically tend to be very docile and inoffensive snakes, seldom, if ever, offering to bite in self-defense. As with most North American species, rubber boas require the proper permits or other documentation in states and provinces in which they are indigenous to.

Taxonomy

Life: All living, physical, and animate entities

Domain: Eukaryota

Kingdom: Animalia

Phylum/Sub Phylum: Chordata/Vertebrata

Class: Reptilia

Order: Squamata

Suborder: Serpentes

Infraorder: Alethinophidia

Family: Boidae

Subfamily: Erycinae

Genus: *Charina*

Species: *Charina bottae**

**Taxonomy subject to change and revision.*

Lifespan and Longevity

If provided the proper care, rubber boas can attain longevity of 20 to 25 years or more, although up to 35 to 40 years is also known.

Distribution and Habitat

Rubber boas are perhaps the most northern of any of the boa species, being found in the semi-arid deserts, grasslands, steppes, meadows, to deciduous and coniferous forests, and even higher altitude areas from the western to Northwestern United States, from the west coast of California and other Pacific Northwest states into British Columbia (B.C.), Canada. Rubber boas are the

<http://www.madisonherps.org>

only species of boa to occur naturally in Canada as well. Within this range, rubber boas occupy a variety of primarily terrestrial environments, including dry to semi-arid sub-deserts, grasslands, coastal areas, meadows, and chaparral to open, dry deciduous, coniferous, or mixed forests and woodlands, where they favor rocky micro-environments, including rocky areas or hillsides, talus slopes, and other similar environments.

Conservation Status

IUCN Red List Least Concern (LC).

Legal and Regulatory Status(*Subject to Change)

Boidae spp. are CITES Appendix II (Except the species included in Appendix I) as of October 2017. Also consult with your local, municipal, and state ordinances and regulations for any ownership restrictions.

Experience Level Required

Novice/Beginner to Intermediate/Moderate.

Size

Rubber boas range from 5 to 8 inches as neonates, and 1 ½ to 2 ½ feet, or 18 to 30 inches as adults. They very seldom, if ever, exceed this size range.

Housing and Enclosure

Housing must be sealed, secure, and escape proof. Neonate rubber boas can be housed in a 10 gallon terrarium or enclosure. Adult rubber boas should be housed in a minimum of a 20 gallon long terrarium or enclosure. Rubber boas are primarily terrestrial, and floor space is more important than height. Provide a substrate that can enable burrowing or hiding such as fine aspen shavings, orchid bark, non-toxic potting soil, or play sand mixtures. Do not use pine or cedar shavings, as these substrates are toxic to snakes. Provide additional basking and hiding opportunities using live or artificial foliage, rocks, logs, driftwood, or other hides. Also be sure to include a sturdy water bowl or dish as well.

Temperature, Lighting, and Humidity

Create a thermal gradient (or a warm side) in the cage/enclosure with an appropriate sized UTH (or tank heating pad), ceramic or radiant heat emitter, or incandescent, UVA/UVB, or other heat producing bulb. Ideal temperatures for rubber boas range from 75 to 82 degrees F on the cool side and 85 to 92 degrees F on the warm side. Most species of snakes have fairly simple and undemanding heating and lighting requirements in captivity, and do not require additional UVA/UVB lighting, although providing it can be greatly beneficial for their health, immune system, and overall wellness. Also be sure to spot clean the enclosure for urates, feces, or uneaten food at least once per week. Be sure to periodically replace the substrate, clean, and disinfect the enclosure and its furnishings at minimum every 2 to 3 months. More specific lighting, heating, and humidity product suggestions and recommendations that can best suit one's needs, as well as those of one's animals can be given as well.

Feeding, Diet, and Nutrition

Carnivorous; In the wild, rubber boas are carnivorous, and will prey upon rodents and other small mammals, small birds, amphibians, smaller reptiles, and other smaller vertebrates. In captivity, rubber boas can be given feeder rodents of appropriate size, such as rats or mice. Newborn, juvenile, and some adult rubber boas may require scenting with frogs or lizards, however. In most general circumstances, it is recommended to provide humanely pre-killed

rodents acquired from a reputable source, as offering live rodents to any snake can carry risk of serious injury or even death to your snake when the rodent bites to defend itself or otherwise gnaws on your animal. A general rule of thumb when selecting feeder rodent sizes for your snake is to provide prey items that are approximately the same width as the snake's widest point. It should also be noted that many snakes may refuse food for longer periods of time over several weeks or months, especially in the fall and winter months or if several other husbandry conditions are not being met. While this can be alarming to new pet owners, it is oftentimes normal, but their overall health and weight should be monitored during these times to make sure they do not lose weight or otherwise deteriorate. Most snakes typically are fed whole prey items, and do not usually require additional calcium or vitamin D3 supplementation unless otherwise directed. Their feeding frequency will also depend on the age, size, and overall health of your animal. Use care as to not overfeed them, as obesity and other health related issues can become an issue. More specific dietary and supplementary product suggestions and recommendations that can best suit one's needs, as well as those of one's animals can be given as well.

Handling

As previously mentioned, rubber boas are quite placid and innocuous snakes, and reluctant to bite under most circumstances. Handle your rubber boa gently and deliberately, but do not drop or injure the animal. Neonates and wild caught boas may be shy and be inclined to curl into a ball in self-defense, but in general, captive bred and born rubber boas will become more tolerant and accustomed to handling as they become older.

****Also be sure to practice basic cleanliness and hygiene associated with proper husbandry after touching or handling any animals or animal enclosures to prevent the possibility of contracting salmonellosis or any other zoonotic pathogens****

Contact

Authored by Eric Roscoe. For any additional questions, comments, and/or concerns regarding this animal, group of animals, or this care sheet, please email and contact the Madison Area Herpetological Society at info@madisonherps.org

Disclaimer: Note that the information provided in these, or any care sheets, are not intended to be all-exhaustive, and further research and care should always be sought and provided when it comes to any species one may prospectively be interested in. These care sheets are also not intended to serve as substitutes for professional veterinary medical care and husbandry should any animal require it. Always seek proper and professional veterinary care for any animal should the need arise, and be prepared ahead of time for any and all husbandry costs and expenses that may occur with any animal beyond the initial purchase. Any animal owned is ultimately a matter of personal/individual care and responsibility. MAHS cannot make any claims or guarantees regarding any information in this care sheet therein. This care sheet may be reprinted or redistributed only in its entirety, including any and all MAHS logos and disclaimers. Last Updated: 16 December 2018.

*Copyright Madison Area Herpetological Society, 2017